



Quality, Honesty, Service and Innovation

AOK LED High Bay Light -oFH Series Installation Guide



This procedure is designed as an installation aid. Skilled tradespeople that are familiar with general construction and electrical installation techniques should perform the installation. Licensed electricians should provide electrical installation connections. Installations and connections should be done in accordance with all national and local codes and permits. In no way is this document intended to construe warranty or fitness of use of the products described, nor is it intended to provide safety instruction for those installing the product.

WARNING

Before proceeding with installation or service maintenance of this product:

- Disconnect power to reduce electrical shock risk.
 - Review the entire Installation Guide.
- Inspect this properly packaged product for any damage that may have occurred during transit.
 - Verify product application complies with manufacturer design recommendations.
 - Verify the availability of necessary tools and incidental material.
 - Verify applicable code requirements. Field assembly and installation are subject to acceptance by local inspection authority.
- Appropriate safety equipment to be determined by end user, per applicable safety standards and precautions.


Standard Luminaire Installation

A




Step 1 - Use hexagon head bolt to fasten the cover to the roof. (Figure A)

B




Step 2 - Attach the lamp body to the top of the junction box under the lid of the junction box. (Figure B)

C



Step 3 - Connect the L,N,GND wires on the lamp to the corresponding L,N,GND cables on the pole. (Figure C)

D



Step 4 - Close the junction box and fix the J bolt with the butterfly nut. (Figure D)

AOK LED High Bay Light -oFH Series Hook Installation Guide

A



Step 1-Fasten the hook on the roof. (Figure A)

B




Step 2 - Hang the lamp on the hook. (Figure B)

C



Step 3 -Tighten the screws on the hook. (Figure C)

D



Step 4 - Connect the L,N,GND wires on the lamp to the corresponding L,N,GND cables on the pole (Figure D)